Cleanstore....k

| | | | | | | | | | | <u>K</u> | | | |
|------------------------|-----------|-----------|-----------|-----------------------|---|-----------|---|-----------|-----------|-----------|-------------------|-----------------|-----------------|
| | ENTRY | | | | | | DOMESTIC | | | | | | |
| Model | K2.90 | K2.54 | K2.94 | K2.900 | C-100.4 | K2.99 | C110.2- CP XTRA | K3.80 | K3.99 | K3.97 | C120.1-10 XTRA | K3.91 | C120.2-6- CP |
| Motor | 1300w | 1400w | 1400w | 1400w | 1300w | 1500w | 1400w | 1700w | 1700w | 1700w | 1700w | 1700w | 1700w |
| Motor Type* | Induction | Universal | Induction | Universal | Universal | Induction | Universal | Universal | Induction | Induction | Induction | Induction | Universal |
| Pressure (bar)* | 100 Max | 100 Max | 100 Max | 100 Max | 100 Max | 110 Max | 110 Max | 120 Max | 120 Max | 120 Max | 120 Max | 120 Max | 120 Max |
| Water Flow Rate | 330 | 330 | 330 | 330 | 440 | 340 | 440 | 350 | 380 | 380 | 520 | 380 | 520 |
| Vario Lance/Tornado | - | ~ | - | 1 | √ | \ | Image: A set of the set of the | ~ | - | 1 | ✓ | ✓ | ✓ |
| Dirtblaster/Powespeed | - | ~ | ✓ | ✓ | Image: A set of the set of the | | ✓ | √ | - | - | ✓ | - | ✓ |
| Brush | 🗸 (Std) | × | 🗸 (Std) | 🗸 (Large) | × | × | 🗸 (Auto) | × | × | 🗸 (Std) | ✓(Garden) | (Rotary) | ✓(Garden) |
| T-Racer/Patio Cleaner | × | 🖌 (T50) | 🗸 (T50) | 🖌 (T50) | × | 🖌 (T50) | (C/pact) | × | 🗸 (T100) | 🗸 (T200) | × | √ (T200) | ✓(C/pact) |
| Other Accesories (Inc) | Washtabs | × | × | Washtabs | × | × | × | × | × | Washtabs | Auto Brush | × | × |
| Hose Length (Mtrs) | 4 | 4 | 5 | 4 | 5 | 6 | 5 | 6 | 6 | 6 | 6 | 6 | 6 |
| Hose Rewind | × | × | × | × | × | × | × | × | × | × | √ | × | × |
| Detergent Feed | Ext tube. | Ext tube. | Tank | Ext tube. | Bottle | Ext tube. | Bottle | Tank | Ext tube. | Ext tube. | Bottle | Ext tube. | Bottle |
| Wall Bracket | × | × | × | × | × | × | × | × | × | × | × | × | × |
| Wheels | √ | | V | ✓ | × | √ | √ | | √ | - | ✓ | - | ✓ |
| Auto/Stop Start | √ | | √ | - | \checkmark | ~ | ~ | | √ | - | √ | √ | √ |
| Weight (Kg) | 9.15 | 7.14 | 10.79 | 8.125 | 6.1 | 12.7 | 7 | 10.5 | 15.5 | 16.6 | 15.5 | 17.0 | 8.5 |
| Pump Head | Plastic | Plastic | Plastic | Plastic | Aluminium | Plastic | Aluminium | Plastic | Plastic | Plastic | Aluminium | Plastic | Aluminium |
| Piston | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel |
| Warranty (months) | 12 | 12 | 12 | 12 | 24 | 12 | 24 | 12 | 12 | 12 | 24 | 12 | 24 |
| Mains Cable (Mtrs) | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Sold by Cleanstore | √ | × | × | ✓ | √ | √ | √ | × | - | 1 | √ | 1 | √ |



.....cleanstore.....k

| | | Į. | | | | Ţ, | | Ĵ | | Ĵ | |
|------------------------|-----------|-----------|-----------|--------------------|--------------|-----------------------|-----------------------|-----------|-----------------------|-----------|----------------------|
| | DOM | IESTIC F | PLUS | | | EXPERT | - | | HOME | PROFES | SIONAL |
| Model | K499 | E130.1-8 | K4.91 | E140.1-8S X-TRA | K585 | K6060 | K6.91 | K6.85 | K7.80 | K7.85 | P150.1-10 B X-TRA |
| Motor | 1900w | 2100w | 1900w | 2100w | 2100w | 2100w | 2500w | 2500w | 2800w | 2800w | 2900w |
| Motor Type* | Induction | Induction | Induction | Induction | Induction | Induction | Induction | Induction | Induction | Induction | Induction |
| Pressure (bar)* | 130 Max | 130 Max | 120 Max | 140 Max | 130 Max | 130 Max | 145 Max | 140 Max | 150 Max | 150 Max | 150 Max |
| Water Flow Rate | 400 | 500 | 400 | 500 | 450 | 450 | 530 | 530 | 450 | 450 | 610 |
| Vario Lance/Tornado | ✓ | ✓ | - | 1 | √ | 1 | ✓ | 1 | ✓ | ✓ | - |
| Dirtblaster/Powespeed | ✓ | - | - | - | ✓ | × | ✓ | × | - | × | ✓ |
| Brush | ✓(Rotary) | × | 🗸 (Std) | ✓(Rotary) | X | ✓(Std) | 🗸 (Std) | 🗸 (Std) | ✓(Std) | 🗸 (Std) | × |
| T-Racer/Patio Cleaner | × | 🖌 (std) | √(T200) | × | × | × | × | × | × | × | 🗸 (Std) |
| Other Accesories (Inc) | Washtabs | × | × | × | × | × | × | × | × | Rim-brush | × |
| Hose Length (Mtrs) | 6 | 8 | 6 | 9 | 7.5 | 9 | 9 | 9 | 9 | 12 | 10 |
| Hose Rewind | × | × | × | ✓ | √ | × | × | ✓ | × | ✓ | ✓ |
| Detergent Feed | Ext tube. | Bottle | Tank | Bottle | Tank | Tank | Tank | Tank | Tank | Tank | Tank |
| Wall Bracket | × | × | × | √ | × | × | × | × | × | × | × |
| Wheels | - | √ | √ | - | \checkmark | ✓ | - | √ | √ | √ | √ |
| Auto/Stop Start | ✓ | - | √ | - | √ | - | ✓ | - | ✓ | - | √ |
| Weight | 16.6 | 17 | 17.1 | 17 | 19.46 | 19.5 | 20.8 | 20.3 | 27 | 27.7 | 23.5 |
| Pump Head | Plastic | Aluminium | Plastic | Aluminium | Aluminium | Aluminium | Aluminium | Aluminium | Aluminium | Aluminium | Brass |
| Piston | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel | S\Steel |
| Warranty (months) | 12 | 24 | 12 | 24 | 12 | 12 | 24 | 12 | 12 | 12 | 24 |
| Mains Cable | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Sold by Cleanstore | - | 1 | - | - | √ | ✓ | × | 1 | √ | - | √ |

Entry

Small areas that require cleaning or you have very infrequent use. This would mean a terraced house with a small side path and rear patio; or the cleaning of one vehicle 1 to 2 times per month.

Domestic

3 Bedroom House with front drive, side path and rear patio or regular cleaning of a family car.

Domestic Plus

As per domestic with increased frequency of cleaning or a 2 car family.

Expert

4 Bedroom House, Large front drive, side paths and large rear patio and/or 2-3 Cars and 4x4 vehicles.

Home Professional

Large houses with multiple paved area and vehicles. Also for long extended periods of use.

When you buy a pressure washer the first job is to fit the correct size and type of motor for the environment that you are working in. This will be the size of area (leading to how long the unit will be operating) and frequency of operation.

The second area you need to clarify is what the primary use of the machine will be? This tends to be split into two areas, home and garden including patios, or vehicle cleaning. After you have made that decision you can look at hose length and accessories that come with the machine or you may require extra.

By using the comparison chart you can choose the section you are in and then suit the machine in that section to primary use of the pressure washer.

www.cleanstore.co.uk

FAQ's on Pressure Washers

| Q: What are the Differences between an Induction & Universal Motor? | Q: How do I store my machine over winter? |
|--|--|
| A: Universal motors are high revving motors, they have carbon brushes that will eventually | A: The best solution is somewhere warm. If not ensure the machine is drained of water. If it |
| need replacing. Induction motors do not have carbon brushes and are more of an industrial | freezes the water will expand cracking low pressure guns, damaging seals and bursting hoses. |
| type motor making them more robust. A good way of knowing what motor the machine you | You can also purchase anti freeze kit for some models. |
| are looking at has, is by the weight of the machine, as induction motors weigh a lot more than | |
| universal motors, also universal motors are noisier than the induction motor. | Q: Can I extend the pressure hose? |
| In short, an induction motor will last longer as there are no brushes to wear out. If the brush on | A: Yes, Please ensure you use the same make as the machine you have purchased. Also |
| a motor fails this will lead to complete failure of the motor. | check the hose is correct as there can be differences between hose types of rewind and non rewind units. |
| Q: What is the warranty period on the pressure washer? | |
| A: Karcher is 12 months, Nilfisk is 24 months, for items relating to faulty workmanship or | Q: Do I purchase a machine with a high Bar pressure or Water Flow Rate |
| defect parts. Both companies operate a network of local repair centres. However Cleanstore | A: It is about finding a good balance. If you have one very high and the other very low your |
| operate a collect and repair service, should you not wish to drop the machine off. We do | cleaning result or speed of cleaning will be adversely affected. Decide the sector of machine |
| charge for the collection and return on any warranty items would be repaired at no cost. | you require first and then look for the water flow rate verses Bar pressure. Do not look at the |
| | separately. Also when checking flow rate check your garden tap can deliver enough water for |
| Q: What is the difference between a detergent suction hose, detergent tank and | your pressure washer or you may be wasting you money. The average garden tap will deliver |
| detergent bottle? | 600 litres per hour. If you are unsure time how water can be collected in a bucket during 60 |
| A: The suction hose draws cleaning chemical into the machine from you detergent bottle, the | seconds, times this amount by 60 and then you have the flow rate per hour. |
| tank is connected to the machine and you fill it with chemical that will feed the machine under | |
| low pressure. The bottle connects to the end of the machine lance and delivers the chemical in | Q: Can I use a pressure washer on my car? |
| a foaming action to the cleaning area. | A: Yes, just keep a sensible distance from the vehicle when rinsing with the lance. Brushes |
| | feed at low pressure make them safe at all times. Bristles are flagged to make them soft and |
| Q: Do I need detergent for cleaning a patio? | therefore safe on paintwork. |
| A: If you are using a T-Racer or Patio Cleaner you should not need a detergent. The only | |
| exceptions may be for may years of dirt and grime build up; or for an area that is very greasy, | Q: Is my machine OK for commercial use? |
| i.e under a b-b-q or where you have a oil spillage (pre soak these with neat neutral | A: The machine will work in a wide range of cleaning environments, however the warranty is |
| detergent). | for domestic use only. |
| Q: Do I need a T-Racer/Patio Cleaner? | Q: Can I use an extension lead? |
| A: The patio cleaning devices are a great attachment to aid the cleaning of drive's, patio's | A: Yes, but you should use a waterproof socket. Always unwind an extension lead before use |
| and paths. It is generally agreed that they will reduce the cleaning times by upto six times. In | and make sure it is rated for the machine you are using. |
| addition the result is even and consistent, less water is used and you are only cleaning the | |
| required area and do not spray yourself and adjoining areas as well. These devices are | Q: Do I need to connect to a garden tap? |
| probably the best enhancement you can buy for your pressure washer. The other major benefit | A: The garden tap is always the best solution but if this not available you will need a water |
| is by using this attachment you reduce cleaning time and therefore reducing pump run times, | suction hose kit. This will have a filter and non-return valve to help maintain the best possible |
| in turn increasing pump life span. | pressure. |
| Q: Can I use a T-Racer/Patio Cleaner with my machine | Q: Can I vary the pressure of my pressure washer? |
| A: Always buy the same make as your pressure washer. Check the Bar pressure of the unit to | A: Using the vario or tornado lance you can usually vary the pressure from 20Bar to maximum. |
| ensure you have the correct T-Racer/Patio Cleaner. Generally if your unit is 100 Bar or under | |
| you need one of the smaller T-Racer/Patio Cleaner or you need a reduced nozzle size. If you | Q: What detergents can I run through my pressure washer? |
| need any help please give us a call. | A: No acids, Alkaline chemical upto 12pH |
| | |
| | Q: Is the machine Automatic Stop/Start? |
| | A: The vast majority of domestic machines are. To be sure please collect our enclosed |
| | comparison chart. |