

Printing date 14.02.2025 Version number 3 (replaces version 2) Revision: 30.08.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- · Trade name: FloorPro Cleaner CA 50 C eco!perform
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Surface cleaning
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Internet: www.karcher.com

Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

#### **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:

Safety data sheet available on request.

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 2)



Printing date 14.02.2025 Version number 3 (replaces version 2) Revision: 30.08.2023

Trade name: FloorPro Cleaner CA 50 C eco!perform

· Determination of endocrine-disrupting properties Not applicable.

(Contd. of page 1)

## **SECTION 3: Composition/information on ingredients**

- 3.2 Mixtures
- **Description:** Cleaning agent

Dangerous components:			
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol      Flam. Liq. 2, H225;	1-5%	
	amines, alkoxylated (polymer)  Skin Irrit. 2, H315	1-5%	
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol  © Eye Irrit. 2, H319	1-5%	

## Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants	<5%
perfumes	

· Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



Printing date 14.02.2025 Version number 3 (replaces version 2) Revision: 30.08.2023

Trade name: FloorPro Cleaner CA 50 C eco!perform

(Contd. of page 2)

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

#### 112-34-5 2-(2-butoxyethoxy)ethanol

IOELV Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

(Contd. on page 4)



Version number 3 (replaces version 2) Printing date 14.02.2025 Revision: 30.08.2023

Trade name: FloorPro Cleaner CA 50 C eco!perform

			(Contd. of page
·DNELs			
57-55-6 Pr	ropylei	ne glycol	
Oral	DNEL	85 mg/kg×d (consumer)	
Dermal	DNEL	213 mg/kg×d (consumer)	
Inhalative	DNEL	168 mg/m3 (employee)	
		50 mg/m3 (consumer)	
67-63-0 pr	opan-	2-ol	
Oral	DNEL	26 mg/kg×d (consumer)	
Dermal	DNEL	888 mg/kg×d (employee)	
		319 mg/kg×d (consumer)	
Inhalative	DNEL	500 mg/m3 (employee)	
		89 mg/m3 (consumer)	
· PNECs			
57-55-6 Pr	ropylei	ne glycol	
PNEC 26 mg/l (marine water)			
		2000 mg/l (STP)	
67-63-0 pr	opan-	2-ol	
PNEC		140.9 mg/l (freshwater)	
		140.9 mg/l (marine water)	
		140.9 mg/l (STP)	
		2251 mg/l (STP)	
PNEC sediment		552 mg/kg (freshwater)	
		552 mg/kg (marine water)	
PNEC soil		28 mg/kg (soil)	

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- Hand protection Not required.
- · Material of gloves Not required.
- Penetration time of glove material Not required.
- · Eye/face protection Not required.

## **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- General Information
- · Physical state

Liquid Green

· Colour:

Fruit-like

· Odour:

(Contd. on page 5)



Printing date 14.02.2025 Version number 3 (replaces version 2) Revision: 30.08.2023

Trade name: FloorPro Cleaner CA 50 C eco!perform

(Contd. of page 4) · Odour threshold: Not determined. Melting point/freezing point: -3 °C · Boiling point or initial boiling point and boiling range undetermined · Flammability Not applicable. Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. · Flash point: 54 °C (Closed Cup) Does not support combustion (No. 32.5.2 UN MTC, Method L.2). not applicable · Auto-ignition temperature: Decomposition temperature: Not determined. · pH at 20 °C 8.1 · pH-value 1 %: 6-8 · Viscosity: Kinematic viscosity Not determined. · dynamic: Not determined. · Solubility · Water: Fully miscible · Partition coefficient n-octanol/water (log value) Not determined. Not determined. · Vapour pressure: · Density and/or relative density Density at 20 °C: 1 g/cm<sup>3</sup> Relative density Not determined. · Vapour density Not determined. · Relative gas density Not determined. Particle characteristics Not applicable.

#### 9.2 Other information

· Appearance:

· Form: Fluid

Important information on protection of health and

environment, and on safety.

· **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

• Evaporation rate Not determined.

Information with regard to physical hazard classes · Explosives Void · Flammable gases Void · Aerosols Void Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void

(Contd. on page 6)



Printing date 14.02.2025 Version number 3 (replaces version 2) Revision: 30.08.2023

Trade name: FloorPro Cleaner CA 50 C eco!perform

		(Contd. of page 5)
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flammable gases	S	
in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:		
57-55-6	57-55-6 Propylene glycol		
Oral	LD50 22000 mg/kg (Rat)		
67-63-0	67-63-0 propan-2-ol		
Oral	LD50   5840 mg/kg (Rat) (OECD 401)		
Dermal	ermal LD50 13900 mg/kg (Rabbit) (OECD 402)		
amines,	amines, alkoxylated (polymer)		
Oral	Oral  LD50  >5000 mg/kg (Rat)		
112-34-	112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD50 2410 mg/kg (mouse) (OECD 401)		
Dermal	LD50 2764 mg/kg (Rabbit)		
Duimoom	Primary ignitant offset:		

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 14.02.2025 Version number 3 (replaces version 2) Revision: 30.08.2023

Trade name: FloorPro Cleaner CA 50 C eco!perform

(Contd. of page 6)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

Aquatic toxicity	· Aquatic toxicity:			
57-55-6 Propylen	57-55-6 Propylene glycol			
LC50/96 h	LC50/96 h 40613 mg/l (Oncorhynchus mykiss)			
67-63-0 propan-2	67-63-0 propan-2-ol			
LC50/96 h	LC50/96 h 9640 mg/l (Pimephales promelas)			
EC50/48 h	EC50/48 h 13299 mg/l (Daphnia magna)			
EC50/72 h	EC50/72 h >1000 mg/l (Desmodesmus subspicatus)			
EC10/18 h	C10/18 h >1000 mg/l (Pseudomonas putida) (DIN 38412)			
amines, alkoxyla	amines, alkoxylated (polymer)			
LC50/96 h (static)	LC50/96 h (static) >100 mg/l (Leuciscus idus)			
EC50/72 h	EC50/72 h >100 mg/l (Algae)			
112-34-5 2-(2-but	112-34-5 2-(2-butoxyethoxy)ethanol			
LC50/96 h	LC50/96 h 1300 mg/l (Lepomis macrochirus)			
EC10/16 h	EC10/16 h 1170 mg/l (Pseudomonas putida)			
EC50/24 h	EC50/24 h 2850 mg/l (Daphnia magna) (DIN 38412)			
NOEC	>100 mg/l (Desmodesmus subspicatus)			

· 12.2 Persistence and degradability No further relevant information available.

Degree of elimination:			
112-34-5 2-(2	112-34-5 2-(2-butoxyethoxy)ethanol		
OECD 301C	80-90 % (28 d)		
OECD 301E	>70 % (28 d)		
OECD 302B	100 % (28 d)		

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 8)



Printing date 14.02.2025 Version number 3 (replaces version 2) Revision: 30.08.2023

Trade name: FloorPro Cleaner CA 50 C eco!perform

(Contd. of page 7)

- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · COD-value: 234.000 mg/l
- · General notes:

The product does not contain organic complexing agents.

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

### **SECTION 14: Transport information**

- 14.1 UN number or ID number
- · ADR, IMDG, IATA Void
- 14.2 UN proper shipping name
- · ADR, ADN, IMDG, IATA Void
- · 14.3 Transport hazard class(es)
- · ADR, ADN, IMDG, IATA
- · Class Void

(Contd. on page 9)



Printing date 14.02.2025 Version number 3 (replaces version 2) Revision: 30.08.2023

Trade name: FloorPro Cleaner CA 50 C eco!perform

		(Contd. of page 8)
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according	to IMO	
instruments	Not applicable.	
UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

· Version number of previous version: 2

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

(Contd. on page 10)



Version number 3 (replaces version 2) Revision: 30.08.2023 Printing date 14.02.2025

Trade name: FloorPro Cleaner CA 50 C eco!perform

(Contd. of page 9)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

0.011-064.0 CA 50 C eco/1 2.700