

Printing date 27.09.2024 Version number 2 (replaces version 1) Revision: 13.10.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: Polish & Wax RM 660
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Polishing agent/ Burnishing compound
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

### Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

### Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

#### · Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0 productsafety.management.de@karcher.com

### 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

## **SECTION 2: Hazards identification**

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 27.09.2024 Version number 2 (replaces version 1) Revision: 13.10.2022

Trade name: Polish & Wax RM 660

· Hazard pictograms

(Contd. of page 1)



· Signal word Warning

## Hazard-determining components of labelling:

1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone 1,2-benzisothiazol-3(2H)-one

### · Hazard statements

H317 May cause an allergic skin reaction.

### **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

· **Description:** Mixture of substances listed below with non-hazardous additions.

CAS: 64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	1-5%
EC number: 918-481-9 Reg.nr.: 01-2119457273-39	Asp. Tox. 1, H304, EUH066	1-570
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol	1-5%
CAS: 54464-57-2 EINECS: 259-174-3	1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl) ethanone  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315; Skin Sens. 1, H317	≥0.1-<0.25%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9	2-methylisothiazol-3(2H)-one  Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1), EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.025-<0.1%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one  Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317  Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.05%

(Contd. on page 3)



Printing date 27.09.2024 Version number 2 (replaces version 1) Revision: 13.10.2022

Trade name: Polish & Wax RM 660

(Contd. of page 2)

Additional information For the wording of the listed hazard phrases refer to section 16.

### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

### **SECTION 6: Accidental release measures**

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 27.09.2024 Version number 2 (replaces version 1) Revision: 13.10.2022

Trade name: Polish & Wax RM 660

See Section 13 for disposal information.

(Contd. of page 3)

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Avoid contact with eyes and skin.
- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Protect from frost.
- · 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

· Ingredie	Ingredients with limit values that require monitoring at the workplace:		
67-63-0 pı	67-63-0 propan-2-ol		
	WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm		
DNELs			
67-63-0 pı	ropan-	2-ol	
Oral	DNEL	26 mg/kg×d (consumer)	
Dermal	DNEL	888 mg/kg×d (employee)	
		319 mg/kg×d (consumer)	
Inhalative	DNEL	500 mg/m3 (employee)	
		89 mg/m3 (consumer)	
·PNECs			
67-63-0 pı	ropan-	2-ol	

67-63-0 propan-2-ol		
PNEC	140.9 mg/l (freshwater)	
	140.9 mg/l (freshwater) 140.9 mg/l (marine water)	
	140.9 mg/l (STP)	
	140.9 mg/l (STP) 2251 mg/l (STP)	
PNEC sediment	552 mg/kg (freshwater) 552 mg/kg (marine water)	
	552 mg/kg (marine water)	
PNEC soil	28 mg/kg (soil)	

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.

(Contd. on page 5)



Printing date 27.09.2024 Version number 2 (replaces version 1) Revision: 13.10.2022

Trade name: Polish & Wax RM 660

(Contd. of page 4)

- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Do not eat, drink, smoke or sniff while working.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection



Protective gloves.

- · Material of gloves Butyl rubber, BR
- Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection

Goggles recommended during refilling.



Tightly sealed goggles (EN 166)

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

General Information

Physical stateColour:Odour:Fruit-like

Odour threshold:
 Melting point/freezing point:
 Boiling point or initial boiling point and boiling range
 Flammability
 Not determined undetermined
 Not applicable.

· Lower and upper explosion limit

Lower:

Upper:
Flash point:
Auto-ignition temperature:
Decomposition temperature:

Not determined.

Not applicable
not applicable

Not determined.

· pH at 20 °C 9.8

· Viscosity:

· Kinematic viscosity
· dynamic:

Not determined.

Not determined.

· Solubility

• Water: Fully miscible
• Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density and/or relative density

Density at 20 °C: 1.125 g/cm<sup>3</sup>

(Contd. on page 6)



Printing date 27.09.2024 Version number 2 (replaces version 1) Revision: 13.10.2022

Trade name: Polish & Wax RM 660

	(Contd. of page
· Relative density	Not determined.
Vapour density	Not determined.
Relative gas density	Not determined.
9.2 Other information	
Appearance:	
Form:	Viscous
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	Troduct door not propont an explosion nazara.
Softening point/range	
Oxidising properties	no
Evaporation rate	Not determined.
•	
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
· Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases	
in contact with water	Void
Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 7)



Printing date 27.09.2024 Version number 2 (replaces version 1) Revision: 13.10.2022

Trade name: Polish & Wax RM 660

(Contd. of page 6)

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
67-63-0 propan-2-ol			
Oral	LD50	5840 mg/kg (Rat) (OECD 401)	
Dermal	LD50	13900 mg/kg (Rabbit) (OECD 402)	
2682-20-4	2682-20-4 2-methylisothiazol-3(2H)-one		
Oral	LD50	120-249 mg/kg (Rat)	
Dermal	LD50	192-294 mg/kg (Rat)	
Inhalative	LC50/4 h	0.1-0.13 mg/l (Rat)	

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

· Endocri	· Endocrine disrupting properties		
128-37-0	Butylated hydroxytoluene	List II	
540-97-6	Dodecamethylcyclohexasiloxane	List II	
541-02-6	decamethylcyclopentasiloxane	List II	
556-67-2	octamethylcyclotetrasiloxane	List II; III	

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic to	oxicity:
67-63-0 pro	opan-2-ol
LC50/96 h	9640 mg/l (Pimephales promelas)
EC50/48 h	13299 mg/l (Daphnia magna)
	(Contd. on page 8

(Contd. on page



Printing date 27.09.2024 Version number 2 (replaces version 1) Revision: 13.10.2022

Trade name: Polish & Wax RM 660

	(Contd. of page 7)
EC50/72 h	>1000 mg/l (Desmodesmus subspicatus)
EC10/18 h	>1000 mg/l (Pseudomonas putida) (DIN 38412)
2682-20-4	2-methylisothiazol-3(2H)-one
LC50/96 h	6 mg/l (F26) (OECD 203)
EC50/48 h	1.68 mg/l (Daphnia magna) (OECD 202)
EC50/72 h	0.157 mg/l (Pseudokirchneriella subcapitata) (OECD 201)
NOEC	0.55 mg/l (Daphnia magna) (OECD 211)
	2.38 mg/l (fish) (OECD 210)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 29\* detergents containing hazardous substances

- **Uncleaned packaging:**
- · Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

- GB



Printing date 27.09.2024 Version number 2 (replaces version 1) Revision: 13.10.2022

Trade name: Polish & Wax RM 660

(Contd. of page 8)

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
<ul> <li>14.7 Maritime transport in bulk according instruments</li> </ul>	to IMO Not applicable.
· UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

## · Relevant phrases

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.

(Contd. on page 10)



Printing date 27.09.2024 Version number 2 (replaces version 1) Revision: 13.10.2022

Trade name: Polish & Wax RM 660

(Contd. of page 9) May cause an allergic skin reaction. H317 H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. May cause drowsiness or dizziness. H336 H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH066 Repeated exposure may cause skin dryness or cracking. EUH071 Corrosive to the respiratory tract. Contact: Regulatory Affairs Tel.: +49-7195-14-0 productsafety.management.de@karcher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (ÚK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\* Data compared to the previous version altered.

· 0·011-070·0 RM 660/1 2·607

GB