

Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 30.01.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: FloorPro Spray Cleaner RM 748
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Maintenance product
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 30.01.2024

Trade name: FloorPro Spray Cleaner RM 748

· Hazard pictograms

(Contd. of page 1)



- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash hands thoroughly after handling. P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Additional information:

Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

· Description: Cleaning agent

CAS: 67-63-0	propan-2-ol	1-5%
EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319; STOT SE 3, H336	
CAS: 69011-36-5	Isotridecanol, ethoxylated (6 EO)	≥1-<2.5%
EC number: 931-138-8	Alternative CAS number: 9043-30-5	
	Eye Dam. 1, H318; Aquatic Chronic 3, H412	
CAS: 68920-66-1	fatty alcohol ethoxylate	≥0-<0.25%
	Aquatic Acute 1, H400; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	

Conta. on page 3



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 30.01.2024

Trade name: FloorPro Spray Cleaner RM 748

		(Contd. of page 2)
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	<0.025%
EINECS: 220-120-9 Index number: 613-088-00-6	Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	
CAS: 55965-84-9 EC number: 611-341-5	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)	≥0.00025-<0.0015%
Index number: 613-167-00-5	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071	
	Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed.
 No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

(Contd. on page 4)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 30.01.2024

Trade name: FloorPro Spray Cleaner RM 748

(Contd. of page 3)

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Avoid contact with eyes and skin.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
67-63	-0 propan-2-ol	
	Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm	
· DNEL	_S	
67-63	-0 propan-2-ol	

	•	
Oral	DNEL	26 mg/kg×d (consumer)
Dermal	DNEL	888 mg/kg×d (employee)
		319 mg/kg×d (consumer)

(Contd. on page 5)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 30.01.2024

Trade name: FloorPro Spray Cleaner RM 748

		(Contd. of page 4))
Inhalative	DNEL	500 mg/m3 (employee)]
		89 mg/m3 (consumer)	
·PNECs			ĺ
67-63-0 pr	opan-2	2-ol	1
PNEC		140.9 mg/l (freshwater)	1
		140.9 mg/l (marine water)	
		140.9 mg/l (STP)	
	:	2251 mg/l (STP)	
PNEC sed	iment	552 mg/kg (freshwater)	
		552 mg/kg (marine water)	
PNEC soil		28 mg/kg (soil)	

- 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.
- · Material of gloves Not required.
- · Penetration time of glove material Not required.
- · Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid · Colour: Light grey · Odour: Product specific

· Odour threshold: Not determined. -2 °C

· Melting point/freezing point:

· Boiling point or initial boiling point and boiling range undetermined · Flammability Not applicable.

Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: 46 °C (Closed Cup)

Does not support combustion (No. 32.5.2 UN MTC, Method

L.2).

not applicable Auto-ignition temperature:

(Contd. on page 6)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 30.01.2024

Trade name: FloorPro Spray Cleaner RM 748

	(Contd. of page
· Decomposition temperature:	Not determined.
· pH at 20 °C	8.5
· pH-value 1 %:	7-9
· Viscosity:	
· Kinematic viscosity	Not determined.
· dynamic:	Not determined.
· Solubility	
· Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.997 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
Relative gas density	Not determined.
· Particle characteristics	Not applicable.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health an	d
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	'
Evaporation rate	Not determined.
Information with regard to physical hazard class	28
Explosives	Void
Flammable gases	Void
· Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gase	
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 30.01.2024

Trade name: FloorPro Spray Cleaner RM 748

(Contd. of page 6)

SECTION 10: Stability and reactivity

- 10.1 Reactivity corresponds to 10.3
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 v	· LD/LC50 values relevant for classification:		
67-63-0 pi	67-63-0 propan-2-ol		
Oral	LD50	5840 mg/kg (Rat) (OECD 401)	
Dermal	LD50	13900 mg/kg (Rabbit) (OECD 402)	
3811-73-2	3811-73-2 sodium pyrithione		
Oral	LD50	500 mg/kg (ATE)	
Dermal	LD50	790 mg/kg (ATE)	
55965-84-	55965-84-9 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)		
Dermal	LD50	>140 mg/kg (Rat)	
Inhalative	LC50	67 mg/kg (Rat)	
	LC50/4 h	0.17 mg/l (Rat)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- * STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 8)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 30.01.2024

Trade name: FloorPro Spray Cleaner RM 748

(Contd. of page 7)

- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

•	,		
Aquatic toxicity	· Aquatic toxicity:		
67-63-0 propan-2-	67-63-0 propan-2-ol		
LC50/96 h	9640 mg/l (Pimephales promelas)		
EC50/48 h	13299 mg/l (Daphnia magna)		
EC50/72 h	>1000 mg/l (Desmodesmus subspicatus)		
EC10/18 h	>1000 mg/l (Pseudomonas putida) (DIN 38412)		
69011-36-5 Isotric	69011-36-5 Isotridecanol, ethoxylated (6 EO)		
EC10/72 h (static)	0.6 mg/l (Desmodesmus subspicatus) (OECD 201)		
NOEC	1.36 mg/l /21 d (Daphnia magna)		
	1.73 mg/l (fish)		
3811-73-2 sodium	3811-73-2 sodium pyrithione		
LC50/96 h	0.00767 mg/l (Danio rerio) (OECD 203)		
EC50/48 h	0.022 mg/l (Daphnia magna) (OECD 202)		
EC50/72 h	0.46 mg/l (F29) (OECD 201)		
NOEC	NOEC 0.08 mg/l // 72 h (F29) (OECD 201)		

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · COD-value: 301.000 mg/l
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

(Contd. on page 9)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 30.01.2024

Trade name: FloorPro Spray Cleaner RM 748

(Contd. of page 8)

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

European waste catalogue

20 01 29* | detergents containing hazardous substances

- Uncleaned packaging:
- Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information			
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void		
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void		
14.3 Transport hazard class(es)			
· ADR, ADN, IMDG, IATA · Class	Void		
· 14.4 Packing group · ADR, IMDG, IATA	Void		
· 14.5 Environmental hazards:	Not applicable.		
14.6 Special precautions for user	Not applicable.		
14.7 Maritime transport in bulk according instruments	14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
· UN "Model Regulation":	Void		

(Contd. on page 10)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 30.01.2024

Trade name: FloorPro Spray Cleaner RM 748

(Contd. of page 9)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act

Regulated explosives precursors	
None of the ingredients is listed.	
Regulated poisons	
None of the ingredients is listed.	
Reportable explosives precursors	
None of the ingredients is listed.	
Reportable poisons	
1336-21-6 ammonia, aqueous solution	10%
1310-58-3 potassium hydroxide	17% of total caustic alkalinity

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

Contact:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

(Contd. on page 11)



Printing date 18.05.2024 Version number 8 (replaces version 7) Revision: 30.01.2024

Trade name: FloorPro Spray Cleaner RM 748

(Contd. of page 10)

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.

· 0.011-674.0 RM 748/9 2.721

GB -