

Printing date 07.03.2025 Version number 10 (replaces version 9) Revision: 26.11.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: FloorPro Shine Cleaner RM 755 ES
- 1.2 Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Floor cleaner
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain

Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs
Tel.: +49-7195-14-0
productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



Printing date 07.03.2025 Version number 10 (replaces version 9) Revision: 26.11.2024

Trade name: FloorPro Shine Cleaner RM 755 ES

· Hazard pictograms

(Contd. of page 1)



- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P264 Wash hands thoroughly after handling. P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

• **Description:** Mixture of substances listed below with non-hazardous additions.

Dangerous components:		
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx	2-(2-butoxyethoxy)ethanol	≥5-<10%
CAS: 111905-52-3	aliphatic alcohols, C9-C11, mostly linear, ethoxylated, butoxylated Skin Irrit. 2, H315; Eye Irrit. 2, H319; Aquatic Chronic 3, H412	≥1-<2.5%
CAS: 15763-76-5 EINECS: 239-854-6 Reg.nr.: 01-2119489411-37-xxxx	sodium p-cumenesulphonate © Eye Irrit. 2, H319	1-5%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol	1-5%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing

Rinse out mouth and then drink plenty of water.

(Contd. on page 3)



Printing date 07.03.2025 Version number 10 (replaces version 9) Revision: 26.11.2024

Trade name: FloorPro Shine Cleaner RM 755 ES

(Contd. of page 2)

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Avoid contact with eyes and skin.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: None.

(Contd. on page 4)



Printing date 07.03.2025 Version number 10 (replaces version 9) Revision: 26.11.2024

Trade name: FloorPro Shine Cleaner RM 755 ES

(Contd. of page 3)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:		
112-34-5 2-(2-butoxyethoxy)ethanol		
WEL Short-term value: 101.2 mg/m³, 15 ppm		
Long-term value: 67.5 mg/m³, 10 ppm		
67-63-0 propan-2-ol		
WEL Short-term value: 1250 mg/m³, 500 ppm		
Long-term value: 999 mg/m³, 400 ppm		
· DNELs		
15763-76-5 sodium p-cumenesulphonate		
Oral DNEL 3.8 mg/kgxd (consumer)		

		in p-cumenesuiphonate
Oral	DNEL	3.8 mg/kg×d (consumer)
Dermal	DNEL	136.25 mg/kg×d (employee)
		3.8 mg/kg×d (consumer) 136.25 mg/kg×d (employee) 68.1 mg/kg×d (consumer)
Inhalative	DNEL	26.9 mg/m3 (employee)
		6.6 mg/m3 (consumer)
0= 00 0		· · · · · · · · · · · · · · · · · · ·

67-63-0 propan-2-ol

Orai	DINEL	26 mg/kg×a (consumer)
Dermal		888 mg/kg×d (employee)
		319 mg/kg×d (consumer)
Inhalative	DNEL	500 mg/m3 (employee)
		89 mg/m3 (consumer)
	Dermal	Dermal DNEL Inhalative DNEL

·PNECs

15763-76-5 sodi	um p-cumenesulphonate
PNEC	0.23 mg/l (freshwater)
	0.023 mg/l (marine water)
	100 mg/l (STP)
PNEC sediment	0.23 mg/l (freshwater) 0.023 mg/l (marine water) 100 mg/l (STP) 0.862 mg/kg (freshwater) 0.086 mg/kg (marine water)
	0.086 mg/kg (marine water)
PNEC soil	0.037 mg/kg (soil)

67-63-0 propan-2-ol

PNEC	140.9 mg/l (freshwater)
	140.9 mg/l (marine water)
	140.9 mg/l (STP)
	140.9 mg/l (STP) 2251 mg/l (STP)
PNEC sediment	552 mg/kg (freshwater)
	552 mg/kg (marine water)

(Contd. on page 5)



Printing date 07.03.2025 Version number 10 (replaces version 9) Revision: 26.11.2024

Trade name: FloorPro Shine Cleaner RM 755 ES

(Contd. of page 4)

PNEC soil 28 mg/kg (soil)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- Hand protection



Protective gloves.

- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Not applicable.

· Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

· Physical state Liquid · Colour: Blue · Odour: citrus-like · Odour threshold: Not determined.

· Melting point/freezing point: -4 °C

· Boiling point or initial boiling point and boiling range undetermined

· Flammability

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: 78 °C (Closed Cup) · Auto-ignition temperature: not applicable Decomposition temperature: Not determined.

· pH at 20 °C 11.4 · pH-value 1 %: 6-8

· Viscosity:

· Kinematic viscosity Not determined. · dynamic at 20 °C: 3.5 mPas

· Solubility

· Water: Fully miscible · Partition coefficient n-octanol/water (log value) Not determined.

(Contd. on page 6)



Printing date 07.03.2025 Version number 10 (replaces version 9) Revision: 26.11.2024

Trade name: FloorPro Shine Cleaner RM 755 ES

	(Contd. of page
· Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.006 g/cm ³
Relative density	Not determined.
· Vapour density	Not determined.
Relative gas density	Not determined.
9.2 Other information	
Appearance:	
· Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Not determined.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases	
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.

(Contd. on page 7)



Printing date 07.03.2025 Version number 10 (replaces version 9) Revision: 26.11.2024

Trade name: FloorPro Shine Cleaner RM 755 ES

(Contd. of page 6)

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:			
112-34-	112-34-5 2-(2-butoxyethoxy)ethanol			
Oral	Oral LD50 2410 mg/kg (mouse) (OECD 401)			
Dermal	LD50	2764 mg/kg (Rabbit)		
111905-	111905-52-3 aliphatic alcohols, C9-C11, mostly linear, ethoxylated, butoxylated			
	Oral LD50 >2000-<5000 mg/kg (Rat)			
15763-7	15763-76-5 sodium p-cumenesulphonate			
Oral	Oral LD50 >5000 mg/kg (Rat) (OECD 401)			
Dermal	LD50	>2000 mg/kg (Rabbit)		
67-63-0	67-63-0 propan-2-ol			
Oral	LD50	5840 mg/kg (Rat) (OECD 401)		
Dermal	LD50	13900 mg/kg (Rabbit) (OECD 402)		

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxic	eity:	
112-34-5 2-(2-k	outoxyethoxy)ethanol	
LC50/96 h	1300 mg/l (Lepomis macrochirus)	
	· ·	(0

(Contd. on page 8)



Printing date 07.03.2025 Version number 10 (replaces version 9) Revision: 26.11.2024

Trade name: FloorPro Shine Cleaner RM 755 ES

		(Contd. of page 7)	_
	EC10/16 h	1170 mg/l (Pseudomonas putida)	
	EC50/24 h	2850 mg/l (Daphnia magna) (DIN 38412)	
	NOEC	>100 mg/l (Desmodesmus subspicatus)	
	111905-52-3 aliph	atic alcohols, C9-C11, mostly linear, ethoxylated, butoxylated	
	LC50/96 h	>1-<10 mg/l (Leuciscus idus)	
	EC50	>1-<10 mg/l (Daphnia magna)	
		>10-<100 mg/l (Algae)	
	NOEC	>0.1-<1 mg/l (Daphnia magna)	
		>0.1-<1 mg/l (Algae)	
Ī	15763-76-5 sodiu	m p-cumenesulphonate	
	LC50/96 h (static)	>100 mg/l (Oncorhynchus mykiss)	
	EC50/48 h (static)	>100 mg/l (Daphnia magna)	
	EC50/96 h (static)	>100 mg/l (Pseudokirchneriella subcapitata)	
	67-63-0 propan-2-	ol	
	LC50/96 h	9640 mg/l (Pimephales promelas)	
	EC50/48 h	13299 mg/l (Daphnia magna)	
	EC50/72 h	>1000 mg/l (Desmodesmus subspicatus)	
	EC10/18 h	>1000 mg/l (Pseudomonas putida) (DIN 38412)	

· 12.2 Persistence and degradability No further relevant information available.

Degree of elimination: 112-34-5 2-(2-butoxyethoxy)ethanol OECD 301C | 80-90 % (28 d) OECD 301E | >70 % (28 d) OECD 302B | 100 % (28 d)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

(Contd. on page 9)



Printing date 07.03.2025 Version number 10 (replaces version 9) Revision: 26.11.2024

Trade name: FloorPro Shine Cleaner RM 755 ES

(Contd. of page 8)

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

- **Uncleaned packaging:**
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according to instruments	Not applicable.	

(Contd. on page 10)



Printing date 07.03.2025 Version number 10 (replaces version 9) Revision: 26.11.2024

Trade name: FloorPro Shine Cleaner RM 755 ES

(Contd. of page 9)

· UN "Model Regulation":

Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

1310-73-2 sodium hydroxide

12% of total caustic alkalinity

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

A product information sheet can be provided if requested.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management.de@karcher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)

(Contd. of page 10)



Safety data sheet according to UK REACH

Revision: 26.11.2024 Printing date 07.03.2025 Version number 10 (replaces version 9)

Trade name: FloorPro Shine Cleaner RM 755 ES

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (ÚK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Data compared to the previous version altered.

0.011-329.0 RM 755ES/11 2.785