KÄRCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 6 (replaces version 5)

Revision: 31.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

- · Trade name: FloorPro Wipe Care Extra RM 780
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** Restricted to professional users.
- \cdot Application of the substance / the mixture ${\sf Detergent}$
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd.

Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

· Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com

· 1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

(Contd. on page 2)

⁻ GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 6 (replaces version 5)

Revision: 31.01.2022

(Contd. of page 1)

Trade name: FloorPro Wipe Care Extra RM 780

· Additional information:

Safety data sheet available on request.

- · 2.3 Other hazards
- The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with non-hazardous additions.

 Dangerous components: 		
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5 Reg.nr.: 01-2119457610-43-xxxx	ethanol ♦ Flam. Liq. 2, H225; ♦ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	1-5%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25-xxxx	propan-2-ol Flam. Liq. 2, H225;	0.1-1%
CAS: 111905-53-4	aliphatic alcohols, C12-C18, mainly linear, ethoxylated, butoxylated	0.1-1%
· Regulation (EC) No 648/2004	on detergents / Labelling for contents	
non-ionic surfactants, soap		<5%
preservation agents (PHENOXYE perfumes	THANOL, BENZISOTHIAZOLINONE, SODIUM PYRITHIONE),	

• Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Rinse with warm water.
- · After eye contact Rinse opened eye for several minutes under running water.
- After swallowing Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

GB

Page 2/10

KARCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 6 (replaces version 5)

Revision: 31.01.2022

(Contd. of page 2)

Trade name: FloorPro Wipe Care Extra RM 780

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

· 6.2 Environmental precautions:

Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

· 6.4 Reference to other sections

No dangerous substances are released. See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Keep receptacles tightly sealed.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- Further information about storage conditions: None.

(Contd. on page 4)

KARCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 6 (replaces version 5)

Revision: 31.01.2022

(Contd. of page 3)

Trade name: FloorPro Wipe Care Extra RM 780

• **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

 Ingredients with limit values that require 	e monitoring at the workplace:
--	--------------------------------

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm 67-63-0 propan-2-ol

WEL Short torm vol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

•	DNELs

67-63-0 propan-2-ol		
Oral	DNEL	26 mg/kg*d (consumer)
Dermal	DNEL	26 mg/kg*d (consumer) 888 mg/kg*d (employee) 319 mg/kg*d (consumer)
		319 mg/kg*d (consumer)
Inhalative	DNEL	500 mg/m3 (employee)
		89 mg/m3 (consumer)

· PNECs

67-63-0 propan-	-2-ol	
PNEC	140.9 mg/l (freshwater)	
	140.9 mg/l (marine water)	
	140.9 mg/l (STP)	
	2251 mg/l (STP)	
PNEC sediment	552 mg/kg (freshwater)	
	552 mg/kg (marine water)	
PNEC soil	28 mg/kg (soil)	

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Not required.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material Not required.

(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 6 (replaces version 5)

Revision: 31.01.2022

(Contd. of page 4)

Trade name: FloorPro Wipe Care Extra RM 780

• Eye/face protection Goggles recommended during refilling.

ermined. licable. ermined. closed Cup) it support burning icable ermined.
ermined. licable. ermined. closed Cup) it support burning icable
ermined. licable. ermined. closed Cup) it support burning icable
licable. ermined. Closed Cup) it support burning icable
licable. ermined. Closed Cup) it support burning icable
ermined. ermined. Closed Cup) it support burning icable
ermined. Closed Cup) it support burning icable
Closed Cup) t support burning icable
t support burning icable
t support burning icable
icable
ermined.
scible
ermined.
ermined.
inniou.
ermined.
ermined.
ermined.
licable.





Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 6 (replaces version 5)

Revision: 31.01.2022

Trade name: FloorPro Wipe Care Extra RM 780

		(Contd. of pag
Change in condition		
Evaporation rate	Not determined.	
Information with regard to physical haza	rd	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flamm	nable	
gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity corresponds to 10.3

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

- GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 6 (replaces version 5)

Revision: 31.01.2022

Trade name: FloorPro Wipe Care Extra RM 780

	(Contd. of page
· LD/LC50 values relevant for classification:	
64-17-5 ethanol	
Oral LD50 >10000 mg/kg (Rat)	
67-63-0 propan-2-ol	
Oral LD50 5840 mg/kg (Rat) (OECD 401)	
Dermal LD50 13900 mg/kg (Rabbit) (OECD 402)	
\cdot Skin corrosion/irritation Based on available data, the classification criteria a	are not met.
\cdot Serious eye damage/irritation Based on available data, the classification cr	
• Respiratory or skin sensitisation Based on available data, the classificatio	
• Germ cell mutagenicity Based on available data, the classification criteria ar	
• Carcinogenicity Based on available data, the classification criteria are not me	
• Reproductive toxicity Based on available data, the classification criteria are	
 STOT-single exposure Based on available data, the classification criteria are STOT-repeated exposure Based on available data, the classification criteria 	
• Aspiration hazard Based on available data, the classification criteria are not r	
• 11.2 Information on other hazards	net.
· Endocrine disrupting properties	
None of the ingredients is listed.	
SECTION 12: Ecological information	
· 12.1 Toxicity	
· 12.1 Toxicity · Aquatic toxicity:	
-	
Aquatic toxicity: 67-63-0 propan-2-ol LC50/96 h 9640 mg/l (Pimephales promelas)	
· Aquatic toxicity: 67-63-0 propan-2-ol	
Aquatic toxicity: 67-63-0 propan-2-ol LC50/96 h 9640 mg/l (Pimephales promelas)	

· Other information: The product is biodegradable.

· 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

KARCHER

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 6 (replaces version 5)

Revision: 31.01.2022

Trade name: FloorPro Wipe Care Extra RM 780

· 12.7 Other adverse effects

· Additional ecological information:

· COD-value: 181.000 mg/l

· General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

The product does not contain organically bounded halogens (AOX-free).

The product does not contain organic complexing agents.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

· European waste catalogue

20 01 30 detergents other than those mentioned in 20 01 29

Uncleaned packaging:

· Recommendation:

Non contaminated packagings may be recycled.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport informatio	n	
 · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA 	Void	
 · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
		(Contd. on page 9)

(Contd. of page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 6 (replaces version 5)

Revision: 31.01.2022

Trade name: FloorPro Wipe Care Extra RM 780

		(Contd. of page
· 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations
- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

Relevant phrases

H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects. **Contact:** Regulatory Affairs Tel : +49-7195-14-0

Tel.: +49-7195-14-0 productsafety.management@de.kaercher.com

- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association

(Contd. on page 10)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

⁻ GB



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 04.03.2023

Version number 6 (replaces version 5)

Revision: 31.01.2022

Trade name: FloorPro Wipe Care Extra RM 780

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 * Data compared to the previous version altered. 0.011-604.0 RM 780/4 2.532 .

GB -

(Contd. of page 9)