

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 15/05/2023 Version: 1.0

SECTION 1: Identification of the	SECTION 1: Identification of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product form Product name UFI Product code Vaporizer	 Mixture ODOR-X WHOLE CAR BLAST – BUBBLEGUM BURST 6TCN-G3GT-P00V-CKYT SDS-163-J-1.0 Aerosol 	
1.2. Relevant identified uses of the	substance or mixture and uses advised against	
 1.2.1. Relevant identified uses Intended for general public Main use category Use of the substance/mixture 1.2.2. Uses advised against No additional information available 	: Consumer use : Automotive Care Products.	
1.3. Details of the supplier of the sa	fety data sheet	
Turtle Wax Europe Limited GB: Alaska House, Atlantic Park, Dunnings EU: Suite 401, The Capel Building, Mary's A T GB & EU +44 (0) 845 600 3663 <u>MSDS@turtlewax.com</u>		
1.4. Emergency telephone number		
Emergency number	: GB & EU +44 (0) 845 600 3663 Office hours only 08:30 - 17:00	
SECTION 2: Hazards identificati	on	

2.1. Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Aerosol, Category 1	H222;H229
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412
Full text of H- and EUH-statements: see section 16	
Adverse physicochemical, human health and environmental effects	;
Extremely flammable aerosol. Pressurised container: May burst if heated	d. Harmful to aquatic life with long lasting effects.
2.2. Label elements	

Labelling according to Regulation (EC)	No. 1272/2008 [CLP]
Hazard pictograms (CLP)	: GHS02
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	No smoking.
	P211 - Do not spray on an open flame or other ignition source.
	P251 - Do not pierce or burn, even after use.
	P273 - Avoid release to the environment.
	P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.
	P501 - Dispose of contents / container in accordance with local / national regulations.
EUH-statements	: EUH208 - Contains ETHYL METHYLPHENYLGLYCIDATE. May produce an allergic reaction.
Extra phrases	: NOTE: Use only in vehicle outside with ample ventilation. Do not use above 30 °C.
	Eliminate all sources of ignition near or in vehicle. Do not leave vehicle unattended. Use one can at a time. The vehicle must be well ventilated after use of this product by opening all doors for 10 minutes. Use only as directed.
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable
2.3. Other hazards	

Other hazards which do not result in classification : None under normal conditions.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	1 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB)	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7	1 – 10	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethyl-methylphenylglycidate	CAS-No.: 77-83-8 EC-No.: 201-061-8	0.1 – 1	Skin Sens. 1B, H317 Aquatic Chronic 2, H411

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Move immediately to fresh air in case of accidental inhalation of vapours. If experiencing respiratory symptoms: Get medical advice/attention. First-aid measures after skin contact : Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	Immediately rinse with plenty of water (for at least 15 minutes). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If swallowed, do NOT induce vomiting. Rinse mouth out with water. Drink plenty of water. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effects, b	oth acute and delayed
, i	Inhalation of vapours may cause respiratory irritation. Dizziness, headaches, nausea. Repeated or prolonged contact may cause skin irritation. May cause skin dryness or cracking.
	May cause moderate irritation, including burning sensation, tearing, redness or swelling. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Dry powder. Foam. Carbon dioxide. Sand/earth. Water spray or fog.Do not use water jet.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Reactivity in case of fire Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Pressurised container: May burst if heated. Not known. Toxic fumes may be released. 	
5.3. Advice for firefighters		
Precautionary measures fire Firefighting instructions Protection during firefighting	 Evacuate area. Evacuate area. Eliminate all ignition sources if safe to do so. Use extinguishing media appropriate for surrounding fire. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 	

SECTION 6: Accidental release measures		
C.4. Democrack process tions and tooting		
6.1. Personal precautions, protective	e equipment and emergency procedures	
General measures	: Avoid release to the environment.	
6.1.1. For non-emergency personnel		
Protective equipment	 Use appropriate personal protection equipment (PPE). For further information refer to section 8: "Exposure controls/personal protection". 	
Emergency procedures	: Eliminate all ignition sources if safe to do so. Ventilate spillage area. Do not breathe fume, vapours. Avoid contact with skin and eyes.	
6.1.2. For emergency responders		
Protective equipment	: Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Eliminate all ignition sources if safe to do so. Ventilate area. Evacuate area. Avoid contact with skin and eyes. Do not breathe vapour/aerosol.	
6.2. Environmental precautions		

Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Use appropriate personal protection equipment (PPE). Ventilate spillage area. Allow the residual product to evaporate. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Use only non-sparking tools.	
Other information	: This material and its container must be disposed of in a safe way, and as per local legislation.	

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	 Observe the label precautions. Keep out of reach of children. Use only in well ventilated areas. Do not breathe fume, vapours. Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions Incompatible materials Storage area Packaging materials	 Store in a well-ventilated place. Keep out of reach of children. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep cool. Direct sunlight. Sources of ignition. Store away from heat. Store in a well-ventilated place. Keep only in original container. 	

7.3. Specific end use(s)

Automotive Care Products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

propan-2-ol (67-63-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m ³
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure adequate ventilation.

8.2.2. Personal protection equipment

Personal protective equipment: Not required for normal conditions of use.

8.2.2.1. Eye and face protection

Eye protection:

Eye protection should only be necessary where liquid could be splashed or sprayed. Standard EN 166 - Personal eye-protection - specifications

8.2.2.2. Skin protection

Skin and body protection: Not required for normal conditions of use

Hand protection: Not required for normal conditions of use

Other skin protection

Materials for protective clothing: Not required for normal conditions of use

8.2.2.3. Respiratory protection

Respiratory protection: Not necessary with sufficient ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Read label before use.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical	and chemical properties	
Physical state Colour Appearance Odour Odour threshold Melting point Freezing point Boiling point Flammability Explosive properties Oxidising properties Explosive limits	 Liquid Colourless. Aerosol. pleasant. Not available Not applicable Not available Not available Extremely flammable aerosol. Pressurised container: May burst if heated. Not applicable. Not available 	
Lower explosion limit Upper explosion limit Flash point	 Not available Not available Not applicable 	
Auto-ignition temperature	: Not available	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

: 93.114032 %

9.2.1. Information with regard to physical hazard classes

% of flammable ingredients

9.2.2. Other safety characteristics No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Oxidizing agent. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity (dermal) :	Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)		
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylir	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)		
LD50 oral rat	> 4640 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 401 (Acute Oral Toxicity)		
LD50 dermal rat	> 10000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)		
Ethyl-methylphenylglycidate (77-83-8)			
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

D50 oral rat 5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity, D50 oral 4384 mg/kg D50 dermal 12800 mg/kg bodyweight in corrosion/initiation : Not classified (Based on available data, the classification criteria are not met) vious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) indoregoticity : Not classified (Based on available data, the classification criteria are not met) indoregoticity : Not classified (Based on available data, the classification criteria are not met) indoregoticity : Not classified (Based on available data, the classification criteria are not met) indoregoticity : Not classified (Based on available data, the classification criteria are not met) indoregoticity : Not classified (Based on available data, the classification criteria are not met) ist, 6,7,8-hoxAhydro-4,6,6,7,8,8-hoxAmethyllindeno[5,6-C]pyran; galaxolide; (HHCB) (122-05-5) OAEL (animal/female, F0/P) 20 mg/kg bodyweight Animal: rat, Animal sec. female, Guideline: OECD Guideline 428 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products OAEL (animal/female, F1) 20 mg/kg bodyweight Animal: rat, Animal sec. female, Guideline: OECD Guideline 428 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH)		
D50 oral 4384 mg/kg D50 dermal 12800 mg/kg bodyweight in corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) incus eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) spiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) smoother : Not classified (Based on available data, the classification criteria are not met) rendemotive : Not classified (Based on available data, the classification criteria are not met) rendemotive : Not classified (Based on available data, the classification criteria are not met) rendemotive : Not classified (Based on available data, the classification criteria are not met) rendemotive : Not classified (Based on available data, the classification criteria are not met) rendemotive : Not classified (Based on available data, the classification criteria are not met) rendemotive : Not classified (Based on available data, the classification criteria are not met) rendemotive : : Not classified (Based on available data, the classification criteria are not met) : : :	propan-2-ol (67-63-0)	
DSD dermal 12800 mg/kg bodyweight in corrosion/inritation : Not classified (Based on available data, the classification criteria are not met) intous eye damage/initiation : Not classified (Based on available data, the classification criteria are not met) sprintery or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) sprintery or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) ropan-2-ol (67-63-0) : Not classified (Based on available data, the classification criteria are not met) sproductive toxicity : Not classified (Based on available data, the classification criteria are not met) s,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-C]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (animal/female, F0/P) 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 428 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: OT-single exposure	LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity
in corrosion/irritation : Not classified (Based on available data, the classification criteria are not met) ricous eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) ispiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) riconogenicity : Not classified (Based on available data, the classification criteria are not met) riconogenicity : Not classified (Based on available data, the classification criteria are not met) ropan-2-01 (67-63-0) RC group 3 - Not classified (Based on available data, the classification criteria are not met) sponductive toxicity : Not classified (Based on available data, the classification criteria are not met) statistical (Based on available data, the classification criteria are not met) at a not classified (Based on available data, the classification criteria are not met) ropan-2-01 (67-63-0) RC group 3 - Not classified (Based on available data, the classification criteria are not met) at a not classified (Based on available data, the classification criteria are not met) at a not classified (Based on available data, the classification criteria are not met) at a not classified (Based on available data, the classification criteria are not met) at a not classified (Based on available data, the classification criteria are not met) at a not classified (Based on available data, the classification criteria are not met) ropan-2-01 (67-63-0) TOT-single exposure : Not classified (Based on available data, the classification criteria are not met) at a not metion of toxicity to Reproduction for Medicinal Products TOT-single exposure : Not classified (Based on available data, the classification criteria are not met) at a not classified (Based on available data, the classification criteria are not met) at a not next in Rod adas) thyl-methylphenylglycidate (77-83-8) OAEL (demal, rat/rabbit, 90 days) : Not classified (Based on available data, the classification crite	LD50 oral	4384 mg/kg
rious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the cla	LD50 dermal	12800 mg/kg bodyweight
spiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met) rinogenicity : Not classified (Based on available data, the classification criteria are not met) rinogenicity : Not classified (Based on available data, the classification criteria are not met) ropan-2-ol (67-63-0) 3 - Not classified (Based on available data, the classification criteria are not met) rinogenicity : Not classified (Based on available data, the classification criteria are not met) rinogenicity : Not classified (Based on available data, the classification criteria are not met) rinogenicity : Not classified (Based on available data, the classification criteria are not met) rinogenicity : Not classified (Based on available data, the classification criteria are not met) rinogenicity : Not classified (Based on available data, the classification criteria are not met) rinogenicity : Not classified (Based on available data, the classification criteria are not met) rinogenicity : Ong/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: OAEL (animal/female, F1) : 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: rot-single exposure : Not classified (Based on available data, the classification criteria are not met)	Skin corrosion/irritation Serious eve damage/irritation	
arm cell mutagenicity : Not classified (Based on available data, the classification criteria are not met) ropan-2-ol (67-63-0) 3 - Not classified (Based on available data, the classification criteria are not met) sq.4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylumeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (animal/female, F0/P) Q2 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: Chech (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products OAEL (animal/female, F0/P) 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: Chech Guideline 426 (Developmental Neurotoxicity Study), Guideline: OECD Guideline 426 (Developmental Study), Guideline: OECD Guideline 426 (Developmental Study), Guideline: OECD Guideline 426 (Developmental Study), Guideline: OECD Guideline 426 (Development	Respiratory or skin sensitisation	
ropan-2-ol (67-63-0) RC group 3 - Not classified (Based on available data, the classification criteria are not met) .3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (animal/female, F0/P) 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: OHCH) Guideline: Other:International Conference on Harmonisation (ICH) Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: OECD Guideline 426 (Developmental Study), G	Germ cell mutagenicity	
RC group 3 - Not classifiable sproductive toxicity : Not classified (Based on available data, the classification criteria are not met) 3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (animal/female, F0/P) 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products OT-single exposure 'OT-single exposure Not classified (Based on available data, the classification criteria are not met) ropan-2-ol (67-63-0) TOT-ingle exposure 'OT-repeated exposure Not classified (Based on available data, the classification criteria are not met) .3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (oral, rat, 90 days) 'DAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat	Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Productive toxicity : Not classified (Based on available data, the classification criteria are not met) 3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (animal/female, F0/P) 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products OT-single exposure 'OT-single exposure Not classified (Based on available data, the classification criteria are not met) ropan-2-ol (67-63-0) TOT-single exposure 'OT-repeated exposure May cause drowsiness or dizziness. 'OT-repeated exposure Not classified (Based on available data, the classification criteria are not met) .3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (oral, rat, 90 days) '150 mg/kg bodyweight Animal: rat, Guideline: o	propan-2-ol (67-63-0)	
3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (animal/female, F0/P) 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products OAEL (animal/female, F1) 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products OT-single exposure : Not classified (Based on available data, the classification criteria are not met) ropan-2-ol (67-63-0) May cause drowsiness or dizziness. OT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) ,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) thyl-methylphenylglycidate (77-83-8) > 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) piration hazard : Not classified (Based on available data, the classification criteria are not met) DOR-X WHOLE CAR BLAST – BUBBLEGUM BURST Aerosol<	IARC group	3 - Not classifiable
OAEL (animal/female, F0/P) 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products OAEL (animal/female, F1) 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline 0 Detection of Toxicity to Reproduction for Medicinal Products OT-single exposure : Not classified (Based on available data, the classification criteria are not met) ropan-2-ol (67-63-0) May cause drowsiness or dizziness. OT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) s3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 428 (Repeated Dose 90-Day Oral Toxicity in Rodents) thyl-methylphenylglycidate (77-83-8) > 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) piration hazard : Not classified (Based on available data, the classification criteria are not met) DOR-X WHOLE CAR BLAST – BUBBLEGUM BURST aporizer aporizer Aerosol	Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
(Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products OAEL (animal/female, F1) 20 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 426 (Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products 'OT-single exposure : Not classified (Based on available data, the classification criteria are not met) ropan-2-ol (67-63-0) May cause drowsiness or dizziness. TOT-single exposure : Not classified (Based on available data, the classification criteria are not met) ropan-2-ol (67-63-0) May cause drowsiness or dizziness. TOT-single exposure : Not classified (Based on available data, the classification criteria are not met) souther: Internet[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents) thyl-methylphenylglycidate (77-83-8) > 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) piration hazard : Not classified (Based on available data, the classification criteria are not met) DOR-X WHOLE CAR BLAST – BUBBLEGUM BURST Aerosol	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexame	thylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
(Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH) Guideline on Detection of Toxicity to Reproduction for Medicinal Products COT-single exposure Not classified (Based on available data, the classification criteria are not met) ropan-2-ol (67-63-0) May cause drowsiness or dizziness. TOT-single exposure Not classified (Based on available data, the classification criteria are not met) 3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents) thyl-methylphenylglycidate (77-83-8) > 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents) oparation > 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) piration hazard : Not classified (Based on available data, the classification criteria are not met) DOR-X WHOLE CAR BLAST – BUBBLEGUM BURST aporizer aporizer Aerosol	NOAEL (animal/female, F0/P)	(Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH)
ropan-2-ol (67-63-0) TOT-single exposure May cause drowsiness or dizziness. 'OT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) ,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents) thyl-methylphenylglycidate (77-83-8) OAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) piration hazard : Not classified (Based on available data, the classification criteria are not met) DOR-X WHOLE CAR BLAST – BUBBLEGUM BURST aporizer Aerosol	NOAEL (animal/female, F1)	(Developmental Neurotoxicity Study), Guideline: other:International Conference on Harmonisation (ICH)
TOT-single exposure May cause drowsiness or dizziness. 'OT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) ,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents) thyl-methylphenylglycidate (77-83-8) > 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) oAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) piration hazard : Not classified (Based on available data, the classification criteria are not met) DOR-X WHOLE CAR BLAST – BUBBLEGUM BURST aporizer aporizer Aerosol	STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
OT-repeated exposure : Not classified (Based on available data, the classification criteria are not met) ,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents) thyl-methylphenylglycidate (77-83-8) 0AEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) oprizer Aerosol	propan-2-ol (67-63-0)	
A,A,A,T,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5) OAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents) thyl-methylphenylglycidate (77-83-8) 0AEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) oportation hazard : Not classified (Based on available data, the classification criteria are not met) DOR-X WHOLE CAR BLAST – BUBBLEGUM BURST aporizer Aerosol	STOT-single exposure	May cause drowsiness or dizziness.
OAEL (oral, rat, 90 days) 150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) thyl-methylphenylglycidate (77-83-8) OAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) piration hazard : Not classified (Based on available data, the classification criteria are not met) DOR-X WHOLE CAR BLAST – BUBBLEGUM BURST aporizer Aerosol	STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Day Oral Toxicity in Rodents) thyl-methylphenylglycidate (77-83-8) OAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) piration hazard : Not classified (Based on available data, the classification criteria are not met) DOR-X WHOLE CAR BLAST – BUBBLEGUM BURST aporizer Aerosol	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexame	thylindeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
OAEL (dermal, rat/rabbit, 90 days) > 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test) piration hazard : Not classified (Based on available data, the classification criteria are not met) DOR-X WHOLE CAR BLAST – BUBBLEGUM BURST aporizer Aerosol	NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)
(Reproduction / Developmental Toxicity Screening Test) (piration hazard : Not classified (Based on available data, the classification criteria are not met) DOR-X WHOLE CAR BLAST – BUBBLEGUM BURST aporizer Aerosol	Ethyl-methylphenylglycidate (77-83-8)	
aporizer Aerosol	NOAEL (dermal, rat/rabbit, 90 days)	
aporizer Aerosol	Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
	ODOR-X WHOLE CAR BLAST - BUBBLE	GUM BURST
I.2. Information on other hazards	Vaporizer	Aerosol
	11.2. Information on other hazards	

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general Ecology - water Hazardous to the aquatic environment, short–term (acute)	Harmful to aquatic life with long lasting effects.Harmful to aquatic life with long lasting effects.Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyli	ndeno[5,6-c]pyran; galaxolide; (HHCB) (1222-05-5)
EC50 72h - Algae [1]	0.723 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	 > 0.854 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.075 mg/l Test organisms (species): other aquatic crustacea:Acartia tonsa Duration: '5,5 d'
Ethyl-methylphenylglycidate (77-83-8)	
LC50 - Fish [1]	4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	52 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	36 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	42 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
propan-2-ol (67-63-0)	
LC50 - Fish [1]	9640 mg/l
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas
EC50 - Other aquatic organisms [1]	13299 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 1000 mg/l
12.2. Persistence and degradability	
ODOR-X WHOLE CAR BLAST – BUBBLEGUN	I BURST
Persistence and degradability	No data available.
12.3. Bioaccumulative potential	
ODOR-X WHOLE CAR BLAST - BUBBLEGUN	I BURST
Bioaccumulative potential	Not established.
propan-2-ol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05
12.4. Mobility in soil	
ODOR-X WHOLE CAR BLAST - BUBBLEGUN	I BURST
Ecology - soil	No data available.
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Other adverse effects : Additional information :	None known. No other effects known

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Regional legislation (waste) Waste treatment methods Product/Packaging disposal recommendations	 Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions. Container under pressure. Do not drill or burn even after use. Dispose in a safe manner in accordance with local/national regulations. Do not pierce or burn, even after use.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
4.1. UN number or ID n	umber		•	I
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
4.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
ransport document descr	iption (ADR)			-
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
4.3. Transport hazard o	class(es)		·	
2.1	2.1	2.1	2.1	2.1
4.4. Packing group	I I			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
4.5. Environmental haz	ards		1	
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

14.6. Special precautions for user

Overland transport

Classification code (ADR)	:	5F
Special provisions (ADR)	:	190, 327, 344, 625
Limited quantities (ADR)	:	11
Excepted quantities (ADR)	:	E0
Packing instructions (ADR)	:	P207, LP02
Special packing provisions (ADR)	:	PP87, RR6, L2
Mixed packing provisions (ADR)	:	MP9
Transport category (ADR)	:	2
Special provisions for carriage - Packages (ADR)	:	V14
Special provisions for carriage - Loading, unloading	:	CV9, CV12
and handling (ADR)		
Special provisions for carriage - Operation (ADR)	:	S2
Tunnel restriction code (ADR)	:	D

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Transport by sea

Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69
MFAG-No	: 126
Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
	0
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading	: CW9, CW12
	. 0003,00012
and handling (RID)	
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Seveso Directive : 2012/18/EU (Seveso III)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Composition/information on ingredients.

Data sources

Other information

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

: This information of the Safety Data Sheet is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

We are not responsible for the correctness of the information provided and any consequences in using it. Please read the SDS carefully before using the product.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH208	Contains ETHYL METHYLPHENYLGLYCIDATE. May produce an allergic reaction.
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H222	Extremely flammable aerosol.
H225	Highly flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H317	May cause an allergic skin reaction.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

Legal disclaimer: Turtle Wax Europe Limited. All rights reserved.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. Such information is, to the best of our knowledge and belief, accurate and reliable as of the date issued. No warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the responsibility of the user or processor to satisfy themselves as to the suitability of such information for their own particular circumstances, conditions or use. This includes transportation, storage and disposal which are outside of our control.