

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 15/05/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: ODOR-X WHOLE CAR BLAST – JUICY CHERRY
UFI	: VWCN-0367-000C-1XJV
Product code	: SDS-164-J-1.0
Vaporizer	: Aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture

: Consumer use : Automotive Care Products.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited

GB: Alaska House, Atlantic Park, Dunnings Bridge Road, Liverpool, L30 4AB. EU: Suite 401, The Capel Building, Mary's Abbey, Dublin 7, Ireland, D07 N4C6. T GB & EU +44 (0) 845 600 3663 <u>MSDS@turtlewax.com</u>

1.4. Emergency telephone number

Emergency number

....

: GB & EU +44 (0) 845 600 3663 Office hours only 08:30 - 17:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Aerosol, Category 1	H222;H229
Serious eye damage/eye irritation, Category 2	H319

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

1.11

Extremely flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation.

2.2. Label elements

Labelling according to Regulation (EC) No	. 1272/2008 [CLP]
Hazard pictograms (CLP)	GHS02 GHS07
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H222 - Extremely flammable aerosol.
	H229 - Pressurised container: May burst if heated.
	H319 - Causes serious eye irritation.
Precautionary statements (CLP)	: P102 - Keep out of reach of children.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
	P211 - Do not spray on an open flame or other ignition source.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	 P251 - Do not pierce or burn, even after use. P280 - Wear eye protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents / container in accordance with local / national regulations.
EUH-statements	: EUH208 - Contains ETHYL METHYLPHENYLGLYCIDATE, ALPHA-ISOMETHYL IONONE. May produce an allergic reaction.
Extra phrases	: NOTE: Use only in vehicle outside with ample ventilation. Do not use above 30 °C. Eliminate all sources of ignition near or in vehicle. Do not leave vehicle unattended. Use one can at a time. The vehicle must be well ventilated after use of this product by opening all doors for 10 minutes. Use only as directed.
Child-resistant fastening	Not applicable
Tactile warning	: Not applicable
2.3. Other hazards	

Other hazards which do not result in classification : None under normal conditions.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	1 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
(L) BENZALDEHYDE substance with a Community workplace exposure limit	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5 REACH-no: 01-2119455540- 44	1 – 10	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Acute Tox. 4 (Inhalation), H332 STOT SE 3, H335
Ethyl-methylphenylglycidate	CAS-No.: 77-83-8 EC-No.: 201-061-8	0.1 – 1	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
alpha-iso-Methylionone	CAS-No.: 127-51-5 EC-No.: 204-846-3	0.1 – 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411 Eye Irrit. 2, H319

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general First-aid measures after inhalation	 If you feel unwell, seek medical advice (show the label where possible). Move immediately to fresh air in case of accidental inhalation of vapours. If experiencing respiratory symptoms: Get medical advice/attention. 	
First-aid measures after skin contact	: Wash skin with soap and water. If skin irritation or rash occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Immediately rinse with plenty of water (for at least 15 minutes). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting. Rinse mouth out with water. Drink plenty of water. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.	
4.2. Most important symptoms and effects, both acute and delayed		
Symptoms/effects after inhalation Symptoms/effects after skin contact	 Inhalation of vapours may cause respiratory irritation. Dizziness, headaches, nausea. Repeated or prolonged contact may cause skin irritation. May cause skin dryness or cracking. 	
Symptoms/effects after eye contact Symptoms/effects after ingestion	 Causes serious eye irritation. stinging. redness, itching, tears. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. 	
4.3. Indication of any immediate medical	attention and special treatment needed	

Treat symptomatically.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Dry powder. Foam. Carbon dioxide. Sand/earth. Water spray or fog.Do not use water jet.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Reactivity in case of fire Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Pressurised container: May burst if heated. Not known. Toxic fumes may be released. 	
5.3. Advice for firefighters		
Precautionary measures fire Firefighting instructions Protection during firefighting	 Evacuate area. Evacuate area. Eliminate all ignition sources if safe to do so. Use extinguishing media appropriate for surrounding fire. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. 	

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective ed	quipment and emergency procedures	
General measures	: Avoid release to the environment.	
6.1.1. For non-emergency personnel		
Protective equipment	: Use appropriate personal protection equipment (PPE). For further information refer to section 8: "Exposure controls/personal protection".	

 Emergency procedures
 : Eliminate all ignition sources if safe to do so. Ventilate spillage area. Do not breathe fume, vapours. Avoid contact with skin and eyes.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders		
Protective equipment	: Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	: Eliminate all ignition sources if safe to do so. Ventilate area. Evacuate area. Avoid contact with skin and eyes. Do not breathe vapour/aerosol.	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Use appropriate personal protection equipment (PPE). Ventilate spillage area. Allow the residual product to evaporate. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). Use only non-sparking tools.	
Other information	 This material and its container must be disposed of in a safe way, and as per local legislation. 	

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and stor	age	
7.1. Precautions for safe handling		
Precautions for safe handling Hygiene measures	 Observe the label precautions. Keep out of reach of children. Use only in well ventilated areas. Do not breathe fume, vapours. Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. 	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions Incompatible materials Storage area Packaging materials	 Store in a well-ventilated place. Keep out of reach of children. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep cool. Direct sunlight. Sources of ignition. Store away from heat. Store in a well-ventilated place. Keep only in original container. 	
7.3. Specific end use(s)		

Automotive Care Products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

propan-2-ol (67-63-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m ³
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure adequate ventilation.

8.2.2. Personal protection equipment

Personal protective equipment:

Not required for normal conditions of use.

8.2.2.1. Eye and face protection

Eye protection: Eye protection should only be necessary where liquid could be splashed or sprayed. Standard EN 166 - Personal eye-protection - specifications

8.2.2.2. Skin protection

Skin and body protection: Not required for normal conditions of use

Hand protection: Not required for normal conditions of use

Other skin protection Materials for protective clothing: Not required for normal conditions of use

8.2.2.3. Respiratory protection

Respiratory protection: Not necessary with sufficient ventilation

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls: Avoid release to the environment.

Consumer exposure controls:

Read label before use.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid Colour Colourless. : Appearance Aerosol. ÷ Odour pleasant. Odour threshold Not available Melting point ÷ Not applicable Freezing point : Not available Boiling point : Not available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Flammability	: Extremely flammable aerosol.
Explosive properties	: Pressurised container: May burst if heated.
Oxidising properties	: Not applicable.
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not applicable
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

% of flammable ingredients

: 94.873412 %

9.2.2. Other safety characteristics

No additional information available

ECTION 10: Stability and reactivity
0.1. Reactivity
tremely flammable aerosol.
0.2. Chemical stability
able under normal conditions.
0.3. Possibility of hazardous reactions
o dangerous reactions known under normal conditions of use.
0.4. Conditions to avoid
eep away from open flames, hot surfaces and sources of ignition.
0.5. Incompatible materials
kidizing agent. Strong acids.
0.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on hazard clas	sses as defined in Regulation (EC) No 1272/2008
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)
propan-2-ol (67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

propan-2-ol (67-63-0)	
LD50 oral	4384 mg/kg
LD50 dermal	12800 mg/kg bodyweight
(L) BENZALDEHYDE (100-52-7)	
LD50 oral rat	≈ 1430 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1,33 - 1,54
LD50 oral	1292 mg/kg bodyweight
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
LD50 dermal	> 1250 mg/kg bodyweight
LC50 Inhalation - Rat	1 – 5 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)
LC50 Inhalation - Rat (Dust/Mist)	> 1000 mg/l
Ethyl-methylphenylglycidate (77-83-8)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
Skin corrosion/irritation:Serious eye damage/irritation:Respiratory or skin sensitisation:Germ cell mutagenicity:Carcinogenicity:	Not classified (Based on available data, the classification criteria are not met) Causes serious eye irritation. Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met) Not classified (Based on available data, the classification criteria are not met)
propan-2-ol (67-63-0)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure :	Not classified (Based on available data, the classification criteria are not met)
propan-2-ol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
(L) BENZALDEHYDE (100-52-7)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure :	Not classified (Based on available data, the classification criteria are not met)
(L) BENZALDEHYDE (100-52-7)	
LOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: other:rat and mouse
Ethyl-methylphenylglycidate (77-83-8)	
NOAEL (dermal, rat/rabbit, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)
Aspiration hazard :	Not classified (Based on available data, the classification criteria are not met)
ODOR-X WHOLE CAR BLAST - JUICY CHER	RY
Vaporizer	Aerosol
Vaporizer 11.2. Information on other hazards	Aerosol

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information			
12.1. Toxicity			
Ecology - general	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.		
Ecology - water	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.		
Hazardous to the aquatic environment, short-term	Not classified		
(acute) Hazardous to the aquatic environment, long-term	Not classified		
(chronic)			
propan-2-ol (67-63-0)			
LC50 - Fish [1]	9640 mg/l		
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas		
EC50 - Other aquatic organisms [1]	13299 mg/l waterflea		
EC50 - Other aquatic organisms [2]	> 1000 mg/l		
(L) BENZALDEHYDE (100-52-7)			
LC50 - Fish [1]	1.07 mg/l		
EC50 - Other aquatic organisms [1]	23.7 mg/l waterflea		
EC50 - Other aquatic organisms [2]	> 100 mg/l		
NOEC chronic fish	0.12 mg/l Test organisms (species): Pimephales promelas Duration: '7 d'		
Ethyl-methylphenylglycidate (77-83-8)			
LC50 - Fish [1]	4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Crustacea [1]	52 mg/l Test organisms (species): Daphnia magna		
EC50 72h - Algae [1]	36 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
EC50 96h - Algae [1]	42 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)		
12.2. Persistence and degradability			
ODOR-X WHOLE CAR BLAST - JUICY CHEF	RRY		
Persistence and degradability	No data available.		
12.3. Bioaccumulative potential			
ODOR-X WHOLE CAR BLAST - JUICY CHEF	RY		
Bioaccumulative potential	Not established.		
propan-2-ol (67-63-0)			

 Partition coefficient n-octanol/water (Log Pow)
 0.05

 (L) BENZALDEHYDE (100-52-7)
 Partition coefficient n-octanol/water (Log Pow)

 1.48

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.4. Mobility in soil		
ODOR-X WHOLE CAR BLAST – JUICY CHERRY		
Ecology - soil	No data available.	
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
	None known. No other effects known	

SECTION 13: Disposal consideration	S
13.1. Waste treatment methods	
Regional legislation (waste) Waste treatment methods	 Disposal must be done according to official regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Container under pressure. Do not drill or burn even after use. Dispose in a safe manner in accordance with local/national regulations. Do not pierce or burn, even after use.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber		•	
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shippin	g name		1	
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descr	iption (ADR)		•	
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard o	lass(es)			
2.1	2.1	2.1	2.1	2.1
		*		
14.4. Packing group	I		•	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

14.6. Special precautions for user

Overland	transport
Overland	anoport

Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
3	: P207, LP02
	: PP87, RR6, L2
31 ()	: MP9
Transport category (ADR)	: 2
	: V14
Special provisions for carriage - Loading, unloading	: CV9, CV12
and handling (ADR)	
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
Transport by sea	
	: 63, 190, 277, 327, 344,
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
	: P207, LP02
5	,
	: PP87, L2
(-)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
3 3 ()	: SW1, SW22
Segregation (IMDG)	: SG69
MFAG-No	: 126
Air transport	
PCA Excepted quantities (IATA)	: E0
	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
	: 75kg
CAO packing instructions (IATA)	: 203
,	
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage I cading unleading	· (1/// (1///12

Special provisions for carriage - Loading, unloading : CW9, CW12

and handling (RID)

959

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Seveso Directive : 2012/18/EU (Seveso III)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Composition/information on ingredients.

Data sources

Other information

- : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- : This information of the Safety Data Sheet is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

We are not responsible for the correctness of the information provided and any consequences in using it. Please read the SDS carefully before using the product.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
EUH208	Contains ETHYL METHYLPHENYLGLYCIDATE, ALPHA-ISOMETHYL IONONE. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 2	Flammable liquids, Category 2	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H302	Harmful if swallowed.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H332	Harmful if inhaled.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Safety Data Sheet (SDS), EU

Legal disclaimer: Turtle Wax Europe Limited. All rights reserved.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. Such information is, to the best of our knowledge and belief, accurate and reliable as of the date issued. No warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the responsibility of the user or processor to satisfy themselves as to the suitability of such information for their own particular circumstances, conditions or use. This includes transportation, storage and disposal which are outside of our control.