

SAFETY DATA SHEET

Page 1 of 3

Dr. Carpet CARPET PRO 1:100

Revision

Revision date 17-Oct-2007

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name Dr. Carpet CARPET PRO 1:100

Company JMS Janitorial Supplies

Unit 8, Astra Business Centre, Bonehurst Road, Salfords, Nr Redhill, Surrey. RH1 5TL

sales@jmsdirect.co.uk www.jmsdirect.co.uk

Telephone 01293 783650 1293 820863 Fax **Emergency telephone**

number

01293 783650

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Isopropanol	1-10%	67-63-0	200-661-7	F; R11 Xi; R36 R67
(Propan-2-ol)				
Sodium carbonate	1-10%	497-19-8	207-838-8	Xi; R36
Citric Acid Anhydrous	1-10%	77-92-9	201-069-1	Xi;R36

3. HAZARDS IDENTIFICATION

Main hazards No Significant Hazard

4. FIRST AID MEASURES

Skin contact Wash off immediately with plenty of soap and water. Seek medical attention if irritation

or symptoms persist.

Eye contact Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek

medical attention if irritation or symptoms persist.

Inhalation If affected move to fresh air. Keep warm and at rest.

Ingestion If swallowed, seek medical advice immediately and show this container or label. DO

NOT INDUCE VOMITING.

5. FIRE FIGHTING MEASURES

Extinguishing media Use extinguishing media appropriate to the surrounding fire conditions.

Fire hazards Burning produces irritating, toxic and obnoxious fumes.

Protective equipment Wear: Self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Ensure adequate ventilation of the working area. Wear suitable protective equipment.

Environmental precautions Prevent further spillage if safe. Advise local authorities if large spills cannot be

Clean up methods Contain with sand or granules. Sweep up. Transfer to suitable, labelled containers for

disposal.

22-Jul-2009 Print date

Dr. Carpet CARPET PRO 1:100

Revision 2 Revision date 17-Oct-2007

7. HANDLING AND STORAGE

Handling Ensure adequate ventilation of the working area.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in

correctly labelled containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

IsopropanolWEL 8-hr limit ppm: 400WEL 8-hr limit mg/m3: 999(Propan-2-ol)WEL 15 min limit ppm: 500WEL 15 min limit mg/m3: 1250

Engineering measures Ensure adequate ventilation of the working area.

Respiratory protection Wear suitable respiratory equipment when necessary.

Hand protection To help prevent skin dryness with repeated use, rubber gloves are recommended.

Eye protection In case of splashing, wear: Safety glasses.

Protective equipment Adopt best Manual Handling considerations when handling, carrying and dispensing.

Environmental exposure

Users should be aware of environmental considerations and their duties under the

controls Environmental Protection Act.

9. PHYSICAL AND CHEMICAL PROPERTIES

DescriptionLiquid.ColourColourless.OdourCharacteristic.

pH 10 - 11

Relative density 1.080 - 1.090
Water solubility soluble in water.

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

Acute toxicityThe material is unlikely to cause any adverse effects in normal conditions of handling

and use.

12. ECOLOGICAL INFORMATION

Ecotoxicity No data is available on this product.

13. DISPOSAL CONSIDERATIONS

General information Dispose of in compliance with all local and national regulations.

Disposal of packaging Containers must be recycled in compliance with national legislation and environmental

regulations.

14. TRANSPORT INFORMATION

ADR/RID Not classified as hazardous for transport.

Dr. Carpet CARPET PRO 1:100

Revision 2

Revision date 17-Oct-2007

15. REGULATORY INFORMATION

Labelling The product is classified as non hazardous.

Risk phrases NSH - No Significant Hazard.

Safety phrases S1/2 - Keep locked up and out of the reach of children.

S13 - Keep away from food, drink and animal feedingstuffs.

S46 - If swallowed, seek medical advice immediately and show this container or label.

16. OTHER INFORMATION

Text of risk phrases in R11 - Highly flammable. **Section 2** R36 - Irritating to eyes.

R67 - Vapours may cause drowsiness and dizziness.

Further information The information supplied in this Safety Data Sheet is designed only as guidance for the

safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other

process. This version replaces all previous versions.

Print date 22-Jul-2009